



# CERTIFICATE OF ANALYSIS

PRODUCED: MAY 22, 2019

OCEAN GROWN- SPEAK LIFE OG- CARTS (CONCENTRATE) // CLIENT: CALIFORNIA STATE DISTRIBUTION // BATCH RESULT: **PASS**



**BATCH NO.:** 1905007-OGE-SLOG  
**MATRIX:** CONCENTRATE  
**CATEGORY:** INHALABLE  
**SAMPLE ID:** BCL-190517-024  
**COLLECTED ON:** MAY 17, 2019  
**RECEIVED ON:** MAY 17, 2019  
**BATCH SIZE:** 2097 UNITS  
**SAMPLE SIZE:** 28 UNITS



**MANUFACTURER**  
 CLAREMONT CAPITAL PARTNERS, LLC  
 185 GALE AVE  
 COALINGA, CA 93210

**LICENSE**  
 CDPH-10002984

**TYPE**  
 ADULT-USE AND MEDICINAL -  
 MANUFACTURING LICENSE

**DISTRIBUTOR**  
 CALIFORNIA STATE DISTRIBUTION LLC  
 185 GALE AVE  
 COALINGA, CA 93210

**LICENSE**  
 C11-0000014-LIC

**TYPE**  
 ADULT-USE AND MEDICINAL -  
 DISTRIBUTOR LICENSE

ALL LQC SAMPLES REQUIRED BY SECTION 5730 OF CALIFORNIA CODE OF REGULATIONS TITLE 16 DIVISION 42 BUREAU OF CANNABIS CONTROL WERE PERFORMED AND MET THE ACCEPTANCE CRITERIA.


**RESULTS CERTIFIED BY: RON BROOKS, M.S.**

SCIENTIFIC DIRECTOR, BELCOSTA LABS

MAY 22, 2019



BCL-03: CANNABINOID POTENCY BY HPLC-UV  
MAY 21, 2019



ANALYTE	LABELED AMOUNT	DETECTED	DETECTED	LOD	LOQ	PASS/FAIL
CBC *		0.98908 %	9.8908 mg/g	0.025 mg/g	0.1 mg/g	N/A
CBCA *		ND	ND	0.025 mg/g	0.1 mg/g	N/A
CBD		2.59578 %	25.9578 mg/g	0.025 mg/g	0.1 mg/g	N/A
CBDA		ND	ND	0.025 mg/g	0.1 mg/g	N/A
CBDV *		ND	ND	0.025 mg/g	0.1 mg/g	N/A
CBDVA *		ND	ND	0.025 mg/g	0.1 mg/g	N/A
CBG		0.54422 %	5.4422 mg/g	0.025 mg/g	0.1 mg/g	N/A
CBGA *		ND	ND	0.025 mg/g	0.1 mg/g	N/A
CBN		0.54243 %	5.4243 mg/g	0.025 mg/g	0.1 mg/g	N/A
Δ <sup>8</sup> -THC *		ND	ND	0.025 mg/g	0.1 mg/g	N/A
Δ <sup>9</sup> -THC		40.55406 %	405.5406 mg/g	0.025 mg/g	0.1 mg/g	N/A
THCA		ND	ND	0.025 mg/g	0.1 mg/g	N/A
THCV *		ND	ND	0.025 mg/g	0.1 mg/g	N/A
THCVA *		ND	ND	0.025 mg/g	0.1 mg/g	N/A
<b>TOTAL THC</b> <i>(TOTAL THC = (THCA X 0.877) + THC)</i>		40.55406 %	405.5406 mg/g			N/A
<b>TOTAL CBD</b> <i>(TOTAL CBD = (CBDA X 0.877) + CBD)</i>		2.59578 %	25.9578 mg/g			N/A

\* BEYOND SCOPE OF ACCREDITATION



BCL-06: MICROBIOLOGICAL ANALYSIS BY QPCR

MAY 21, 2019

ANALYTE	ACTION LIMIT	DETECTED	PASS/FAIL
ASPERGILLUS FLAVUS	Any amount in 1 gram	ND	PASS
ASPERGILLUS FUMIGATUS	Any amount in 1 gram	ND	PASS
ASPERGILLUS NIGER	Any amount in 1 gram	ND	PASS
ASPERGILLUS TERREUS	Any amount in 1 gram	ND	PASS
ESCHERICHIA COLI	Any amount in 1 gram	ND	PASS
SALMONELLA SPP.	Any amount in 1 gram	ND	PASS

BCL-11: MYCOTOXIN TESTING BY LC-MS/MS

MAY 22, 2019

ANALYTE	ACTION LIMIT	DETECTED	LOD	LOQ	PASS/FAIL
AFLATOXINS	20 µg/kg	ND	15 µg/kg	25 µg/kg	PASS
OCHRATOXIN A	20 µg/kg	ND	15 µg/kg	25 µg/kg	PASS

BCL-13: PESTICIDE TESTING BY GC/MS

MAY 22, 2019

ANALYTE	ACTION LIMIT	DETECTED	LOD	LOQ	PASS/FAIL	ANALYTE	ACTION LIMIT	DETECTED	LOD	LOQ	PASS/FAIL
CAPTAN	0.7 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS	CYPERMETHRIN	1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS



# REGULATORY COMPLIANCE TESTING

<b>CHLORDANE</b>	Any amount	ND	0.03 µg/g	0.05 µg/g	PASS
<b>CHLORFENAPYR</b>	Any amount	ND	0.03 µg/g	0.05 µg/g	PASS
<b>CHLORPYRIFOS</b>	Any amount	ND	0.03 µg/g	0.05 µg/g	PASS
<b>CYFLUTHRIN</b>	2 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS

<b>DICHLORVOS</b>	Any amount	ND	0.03 µg/g	0.05 µg/g	PASS
<b>METHYL PARATHION</b>	Any amount	ND	0.03 µg/g	0.05 µg/g	PASS
<b>PENTACHLORONI-TROBENZENE</b>	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS

## BCL-05: RESIDUAL PESTICIDE ANALYSIS BY LC-MS/MS ESI MAY 22, 2019

ANALYTE	ACTION LIMIT	DETECTED	LOD	LOQ	PASS/FAIL
<b>ABAMECTIN</b>	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
<b>ACEPHATE</b>	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
<b>ACEQUINOCYL</b>	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
<b>ACETAMIPRID</b>	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
<b>ALDICARB</b>	Any amount	ND	0.03 µg/g	0.05 µg/g	PASS
<b>AZOXYSTROBIN</b>	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
<b>BIFENAZATE</b>	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
<b>BIFENTHRIN</b>	3 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
<b>BOSCALID</b>	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
<b>CARBARYL</b>	0.5 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
<b>CARBOFURAN</b>	Any amount	ND	0.03 µg/g	0.05 µg/g	PASS
<b>CHLORANTRANIL-IPROLE</b>	10 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
<b>CLOFENTEZINE</b>	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS

ANALYTE	ACTION LIMIT	DETECTED	LOD	LOQ	PASS/FAIL
<b>IMIDACLOPRID</b>	5 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
<b>KRESOXIM-METHYL</b>	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
<b>MALATHION</b>	0.5 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
<b>METALAXYL</b>	2 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
<b>METHIOCARB</b>	Any amount	ND	0.03 µg/g	0.05 µg/g	PASS
<b>METHOMYL</b>	1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
<b>MEVINPHOS</b>	Any amount	ND	0.03 µg/g	0.05 µg/g	PASS
<b>MYCLOBUTANIL</b>	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
<b>NALED</b>	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
<b>OXAMYL</b>	0.5 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
<b>PACLOBUTRAZOL</b>	Any amount	ND	0.03 µg/g	0.05 µg/g	PASS
<b>PERMETHRIN</b>	0.5 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
<b>PHOSMET</b>	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS



# REGULATORY COMPLIANCE TESTING

<b>COUMAPHOS</b>	Any amount	ND	0.03 µg/g	0.05 µg/g	PASS
<b>DAMINOZIDE</b>	Any amount	ND	0.03 µg/g	0.05 µg/g	PASS
<b>DIAZINON</b>	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
<b>DIMETHOATE</b>	Any amount	ND	0.03 µg/g	0.05 µg/g	PASS
<b>DIMETHOMORPH</b>	2 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
<b>ETHOPROPHOS</b>	Any amount	ND	0.03 µg/g	0.05 µg/g	PASS
<b>ETOFENPROX</b>	Any amount	ND	0.03 µg/g	0.05 µg/g	PASS
<b>ETOXAZOLE</b>	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
<b>FENHEXAMID</b>	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
<b>FENOXYCARB</b>	Any amount	ND	0.03 µg/g	0.05 µg/g	PASS
<b>FENPYROXIMATE</b>	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
<b>FIPRONIL</b>	Any amount	ND	0.03 µg/g	0.05 µg/g	PASS
<b>FLONICAMID</b>	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
<b>FLUDIOXONIL</b>	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
<b>HEXYTHIAZOX</b>	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
<b>IMAZALIL</b>	Any amount	ND	0.03 µg/g	0.05 µg/g	PASS

<b>PIPERONYLBUTOXIDE</b>	3 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
<b>PRALLETHRIN</b>	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
<b>PROPICONAZOLE</b>	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
<b>PROPOXUR</b>	Any amount	ND	0.03 µg/g	0.05 µg/g	PASS
<b>PYRETHRINS</b>	0.5 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
<b>PYRIDABEN</b>	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
<b>SPINETORAM</b>	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
<b>SPINOSAD</b>	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
<b>SPIROMESIFEN</b>	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
<b>SPIROTETRAMAT</b>	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
<b>SPIROXAMINE</b>	Any amount	ND	0.03 µg/g	0.05 µg/g	PASS
<b>TEBUCONAZOLE</b>	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
<b>THIACLOPRID</b>	Any amount	ND	0.03 µg/g	0.05 µg/g	PASS
<b>THIAMETHOXAM</b>	5 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
<b>TRIFLOXYSTROBIN</b>	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS

## BCL-10: HEAVY METAL TESTING BY ICP-MS MAY 22, 2019

ANALYTE	ACTION LIMIT	DETECTED	LOD	LOQ	PASS/FAIL
ARSENIC	0.2 µg/g	0.01 µg/g	0.000353 µg/g	0.001069 µg/g	PASS



# REGULATORY COMPLIANCE TESTING

<b>CADMIUM</b>	0.2 µg/g	ND	0.000357 µg/g	0.001082 µg/g	PASS
<b>LEAD</b>	0.5 µg/g	0.08 µg/g	0.000638 µg/g	0.001933 µg/g	PASS
<b>MERCURY</b>	0.1 µg/g	ND	0.000412 µg/g	0.001251 µg/g	PASS

## BCL-07: FOREIGN MATERIAL TESTING BY MICROSCOPY MAY 20, 2019

ANALYTE	ACTION LIMIT	DETECTED	PASS/FAIL
<b>CINDERS</b>	25 %	ND	PASS
<b>DIRT</b>	25 %	ND	PASS
<b>IMBEDDED FOREIGN MATERIAL</b>	25 %	ND	PASS
<b>INSECT FRAGMENTS</b>	1 Unit	ND	PASS
<b>MAMMAL EXCREMENT</b>	1 Unit	ND	PASS
<b>MOLD</b>	25 %	ND	PASS
<b>RODENT HAIR</b>	1 Unit	ND	PASS
<b>SAND</b>	25 %	ND	PASS
<b>SOIL</b>	25 %	ND	PASS

## BCL-04: RESIDUAL SOLVENT ANALYSIS BY HS/GC-FID MAY 21, 2019

ANALYTE	ACTION LIMIT	DETECTED	LOD	LOQ	PASS/FAIL
---------	--------------	----------	-----	-----	-----------



# REGULATORY COMPLIANCE TESTING

1,2-DICHLOROETHANE	1 µg/g	ND	0.6 µg/g	1 µg/g	PASS
ACETONE	5000 µg/g	< LOQ	6 µg/g	15 µg/g	PASS
ACETONITRILE	410 µg/g	ND	3.6 µg/g	6 µg/g	PASS
BENZENE	1 µg/g	ND	0.6 µg/g	1 µg/g	PASS
BUTANE	5000 µg/g	ND	6 µg/g	10 µg/g	PASS
CHLOROFORM	1 µg/g	ND	0.6 µg/g	1 µg/g	PASS
ETHANOL	5000 µg/g	ND	6 µg/g	15 µg/g	PASS
ETHYL ACETATE	5000 µg/g	ND	6 µg/g	10 µg/g	PASS
ETHYL ETHER	5000 µg/g	ND	6 µg/g	10 µg/g	PASS
ETHYLENE OXIDE	1 µg/g	ND	0.6 µg/g	1 µg/g	PASS
HEPTANE	5000 µg/g	ND	6 µg/g	10 µg/g	PASS
HEXANE	290 µg/g	ND	6 µg/g	10 µg/g	PASS
ISOPROPYL ALCOHOL	5000 µg/g	< LOQ	6 µg/g	15 µg/g	PASS
METHANOL	3000 µg/g	ND	6 µg/g	15 µg/g	PASS
METHYLENE CHLORIDE	1 µg/g	ND	0.6 µg/g	1 µg/g	PASS
PENTANE	5000 µg/g	ND	6 µg/g	10 µg/g	PASS
PROPANE	5000 µg/g	ND	6 µg/g	10 µg/g	PASS
TOLUENE	890 µg/g	ND	6 µg/g	10 µg/g	PASS
TOTAL XYLENES	2170 µg/g	ND	6 µg/g	10 µg/g	PASS
TRICHLOROETHYLENE	1 µg/g	ND	0.6 µg/g	1 µg/g	PASS

