

ANALYZED BY:

Anresco Laboratories
1375 Van Dyke Avenue,
San Francisco, CA 94124
C8-0000052-LIC

DISTRIBUTOR:

California State Distribution
185 W. Gale Ave
Coalinga, CA 93210
C11-0000014-LIC

CULTIVATOR / MANUFACTURER:

Claremont Capital Partners
185 W. Gale Ave
Coalinga, CA 93210
CDPH-10002984



SAMPLE INFORMATION

Sample No.: 1040107
Product Name: OGE PRE ROLL INDICA
Matrix: Plant (Pre-Roll)
Batch #: 1911025-OGE-IND
Product-Batch Size (Units): 1290

Sample Increments: 14
Sample Weight / Increment (g): 1
Total Sample Weight (g): 14
Date Collected: 12/06/2019
Date Received: 12/09/2019
Date Reported: 12/13/2019

TEST SUMMARY

Cannabinoid Profile:
Microbiological Screen: ✔ Pass
Pesticide Residue Screen: ✔ Pass
Mycotoxin Screen: ✔ Pass

Residual Solvent Screen: ✔ Pass
Heavy Metal Screen: ✔ Pass
Other Analyses: ✔ Pass
Overall: ✔ Pass

CANNABINOID PROFILE

12/12/2019

Method: MF12D012
Instrument: Liquid Chromatography Diode Array Detector (LC-DAD)
Limit of Quantitation 1.0 mg/g
Limit of Detection 0.4 mg/g

Analyte	mg/g (dry)	% (dry)	Status
δ8 THC	ND	ND	-
δ9 THC	13.3	1.33	-
δ9 THCA	220.7	22.07	-
THCV	ND	ND	-
CBD	ND	ND	-
CBDA	ND	ND	-
CBC	<LOQ	<LOQ	-
CBDV	ND	ND	-
CBG	<LOQ	<LOQ	-
CBGA	3.9	0.39	-
CBN	ND	ND	-
Total THC	206.9	20.69	-
Total CBD	ND	ND	-
Total Cannabinoids	239.3	23.93	-
Total Active Cannabinoids	211.7	21.17	-

Label Claims n/p

MICROBIOLOGICAL SCREEN ✔ Pass

12/13/2019

Analysis	Method	Finding	Limit	Status
Salmonella	AOAC 2016.01	Negative/1g	ND in 1g	Pass
STEC	EC Mug	Negative/1g	ND in 1g	Pass
Aspergillus Fumigatus	Clear Aspergillus PCR	Negative/1g	ND in 1g	Pass
Aspergillus Flavus	Clear Aspergillus PCR	Negative/1g	ND in 1g	Pass
Aspergillus Niger	Clear Aspergillus PCR	Negative/1g	ND in 1g	Pass
Aspergillus Terreus	Clear Aspergillus PCR	Negative/1g	ND in 1g	Pass

PESTICIDE RESIDUE SCREEN ✔ Pass

12/10/2019

Method: MF 21P030
Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD / LOQ (µg/g)	Finding (µg/g)	Limit (µg/g)	Status
Abamectin	0.04/0.10	ND	0.1	Pass
Acephate	0.04/0.10	ND	0.1	Pass
Acequinocyl	0.04/0.10	ND	0.1	Pass
Acetamiprid	0.04/0.10	ND	0.1	Pass
Aldicarb	0.04/0.10	ND	0.04	Pass
Azoxystrobin	0.04/0.10	ND	0.1	Pass
Bifenazate	0.04/0.10	ND	0.1	Pass
Bifenthrin	0.20/0.50	ND	3.0	Pass
Boscalid	0.04/0.10	ND	0.1	Pass
Captan	0.25/0.70	ND	0.7	Pass

Analyte	LOD / LOQ (µg/g)	Finding (µg/g)	Limit (µg/g)	Status
Carbaryl	0.20/0.50	ND	0.5	Pass
Carbofuran	0.04/0.10	ND	0.04	Pass
Chlorantraniliprole	0.04/0.10	ND	10.0	Pass
Chlordane	0.04/0.10	ND	0.04	Pass
Chlorfenapyr	0.04/0.10	ND	0.04	Pass
Chlorpyrifos	0.04/0.10	ND	0.04	Pass
Clofentezine	0.04/0.10	ND	0.1	Pass
Coumaphos	0.04/0.10	ND	0.04	Pass
Cyfluthrin	0.70/2.00	ND	2.0	Pass
Cypermethrin	0.35/1.00	ND	1.0	Pass
Daminozide	0.04/0.10	ND	0.04	Pass
DDVP (Dichlorovous)	0.04/0.10	ND	0.04	Pass
Diazinon	0.04/0.10	ND	0.1	Pass
Dimethoate	0.04/0.10	ND	0.04	Pass
Dimethomorph	0.04/0.10	ND	2.0	Pass
Ethoprop(hos)	0.04/0.10	ND	0.04	Pass
Etofenprox	0.04/0.10	ND	0.04	Pass
Etoxazole	0.04/0.10	ND	0.1	Pass
Fenhexamid	0.04/0.10	ND	0.1	Pass
Fenoxycarb	0.04/0.10	ND	0.04	Pass
Fenpyroximate	0.04/0.10	ND	0.1	Pass
Fipronil	0.04/0.10	ND	0.04	Pass
Flonicamid	0.04/0.10	ND	0.1	Pass
Fludioxanil	0.04/0.10	ND	0.1	Pass
Hexythiazox	0.04/0.10	ND	0.1	Pass
Imazalil	0.04/0.10	ND	0.04	Pass
Imidacloprid	0.04/0.10	ND	5.0	Pass
Kresoxim Methyl	0.04/0.10	ND	0.1	Pass
Malathion	0.20/0.50	ND	0.5	Pass
Metalaxyl	0.04/0.10	ND	2.0	Pass
Methiocarb	0.04/0.10	ND	0.04	Pass
Methomyl	0.04/0.10	ND	1.0	Pass
Methyl parathion	0.04/0.10	ND	0.04	Pass
Mevinphos	0.04/0.10	ND	0.04	Pass
Myclobutanil	0.04/0.10	ND	0.1	Pass
Naled	0.04/0.10	ND	0.1	Pass
Oxamyl	0.20/0.50	ND	0.5	Pass
Paclbutrazol	0.04/0.10	ND	0.04	Pass
Pentachloronitrobenzene	0.04/0.10	ND	0.1	Pass
Permethrins	0.20/0.50	ND	0.5	Pass
Phosmet	0.04/0.10	ND	0.1	Pass
Piperonyl Butoxide	0.04/0.10	ND	3.0	Pass
Prallethrin	0.04/0.10	ND	0.1	Pass
Propiconazole	0.04/0.10	ND	0.1	Pass
Propoxur	0.04/0.10	ND	0.04	Pass
Pyrethrins	0.20/0.50	ND	0.5	Pass
Pyridaben	0.04/0.10	ND	0.1	Pass
Spinetoram	0.04/0.10	ND	0.1	Pass
Spinosad	0.04/0.10	ND	0.1	Pass
Spiromesifen	0.04/0.10	ND	0.1	Pass
Spirotetramat	0.04/0.10	ND	0.1	Pass
Spiroxamine	0.04/0.10	ND	0.04	Pass
Tebuconazole	0.04/0.10	ND	0.1	Pass
Thiacloprid	0.04/0.10	ND	0.04	Pass
Thiamethoxam	0.35/1.00	ND	5.0	Pass
Trifloxystrobin	0.04/0.10	ND	0.1	Pass

RESIDUAL SOLVENT SCREEN ✔ Pass

12/12/2019

Method: USP OVI<467>

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

Analyte	LOD / LOQ (µg/g)	Finding (µg/g)	Limit (µg/g)	Status
1,2-Dichloroethane	0.40/1.00	ND	1.0	Pass
Acetone	17/75	ND	5000	Pass
Acetonitrile	1/6	ND	410	Pass
Benzene	0.40/1.00	ND	1.0	Pass
n-Butane	200/600	ND	5000	Pass
Chloroform	0.40/1.00	ND	1.0	Pass
Ethanol	22/100	ND	5000	Pass
Ethyl Acetate	9/40	ND	5000	Pass
Ethyl Ether	11/50	ND	5000	Pass
Ethylene Oxide	0.40/1.00	ND	1.0	Pass
n-Heptane	11/50	ND	5000	Pass
n-Hexane	1/5	ND	290	Pass
Isopropyl Alcohol	11/50	ND	5000	Pass
Methanol	6/25	31.9	3000	Pass
Methylene Chloride	0.40/1.00	ND	1.0	Pass
n-Pentane	17/75	ND	5000	Pass
Propane	125/250	ND	5000	Pass
Toluene	3/15	ND	890	Pass
Total Xylenes	1/3	ND	2170	Pass
Trichloroethylene	0.40/1.00	ND	1.0	Pass

HEAVY METAL SCREEN ✔ Pass

12/11/2019

Method: MF 24E020

Instrument: ICP-MS

Analyte	LOD / LOQ (µg/g)	Finding (µg/g)	Limit (µg/g)	Status
Arsenic	0.02/0.05	0.07	0.2	Pass
Cadmium	0.02/0.05	0.06	0.2	Pass
Mercury	0.02/0.05	ND	0.1	Pass
Lead	0.02/0.05	<LOQ	0.5	Pass

MYCOTOXIN SCREEN ✔ Pass

12/10/2019

Method: MF 21P030

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

Analyte	LOD / LOQ (µg/kg)	Finding (µg/kg)	Limit (µg/kg)	Status
Aflatoxin B1	10/20	ND	-	-
Aflatoxin B2	10/20	ND	-	-
Aflatoxin G1	10/20	ND	-	-
Aflatoxin G2	10/20	ND	-	-
Total Aflatoxins	10/20	ND	20	Pass
Ochratoxin A	10/20	ND	20	Pass

OTHER ANALYSES ✔ Pass

Analyte	Method	Instrument	Finding	Date Completed	Limit	Status
Moisture	'AOAC 930.04'	Vacuum or Forced Air Oven	10.37	12/10/2019	-	-
Water Activity	MF 14G051	Decagon	0.583	12/12/2019	0.65	Pass
Sand, Soils, Cinders, and Dirt	Visual	n/a	0	12/09/2019	25 %	Pass
Mold	Visual	n/a	0	12/09/2019	25 %	Pass
Imbedded Foreign Material	Visual	n/a	0	12/09/2019	25 %	Pass
Insect Fragment	Visual	n/a	0	12/09/2019	1	Pass
Hair	Visual	n/a	0	12/09/2019	1	Pass
Mammalian Excreta	Visual	n/a	0	12/09/2019	1	Pass

(-) = Not Tested, ND = None Detected, <LOQ = Below Limit of Quantitation, LOD = Limit of Detection

All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13)

Reported by


 Vu Lam
 Lab Co Director

December 13, 2019



Scan to verify