REGULATORY COMPLIANCE TESTING
BELCOSTA LABS // 1131 E. SOUTH STREET LONG BEACH CA 90805 // PH: (562) 676-4206
CA LICENSE #: C8-18-0000029-TEMP

CERTIFICATE OF ANALYSIS

PRODUCED: MAR 12, 2019

OCEAN GROWN-0.5G VAPE CARTRIDGES (CONCENTRATE) // **CLIENT**: CALIFORNIA STATE DISTRIBUTION // **BATCH RESULT**: PASS

BATCH NO.: 1902010-OGE-BUBG
MATRIX: CONCENTRATE
CATEGORY: INHALABLE
SAMPLE ID: BCL-190306-026
COLLECTED ON: MAR 06, 2019
RECEIVED ON: MAR 06, 2019
BATCH SIZE: 750 UNITS
SAMPLE SIZE: 28 UNITS

DELTA-9-THC	212.12 MG/PKG
CBD	15.55 MG/PKG
TOTAL CANNABINOIDS	235.39 MG/PKG

MICROBIAL
PASS

MYCOTOXINS
PASS

PESTICIDES
PASS

CANNABINOIDS
PASS

HEAVY METALS
PASS

FOREIGN MATERIALS
PASS

RESIDUAL SOLVENTS
PASS

MANUFACTURER

CLAREMONT CAPITAL PARTNERS, LLC
185 GALE AVE
COALINGA, CA 93210

LICENSE
CDPH-T00000501

TYPE
ADULT-USE AND MEDICINAL - MANUFACTURING TEMPORARY LICENSE

DISTRIBUTOR

CALIFORNIA STATE DISTRIBUTION LLC
185 GALE AVE
COALINGA, CA 93210

LICENSE
A11-18-0000070-TEMP

TYPE
ADULT-USE AND MEDICINAL - DISTRIBUTOR TEMPORARY LICENSE

RESULTS CERTIFIED BY: RON BROOKS, M.S.

SCIENTIFIC DIRECTOR, BELCOSTA LABS

MAR 12, 2019



BCL-03: CANNABINOID POTENCY BY HPLC-UV

MAR 09, 2019

ANALYTE	LABELED AMOUNT	DETECTED	DETECTED	LOD	LOQ	PASS/FAIL
CBC *		0.899 %	8.99 mg/g	0.025 mg/g	0.1 mg/g	N/A
CBCA *		ND	ND	0.025 mg/g	0.1 mg/g	N/A
CBD		3.110 %	31.1 mg/g	0.025 mg/g	0.1 mg/g	N/A
CBDA		ND	ND	0.025 mg/g	0.1 mg/g	N/A
CBDV *		ND	ND	0.025 mg/g	0.1 mg/g	N/A
CBDVA *		ND	ND	0.025 mg/g	0.1 mg/g	N/A
CBG		ND	ND	0.025 mg/g	0.1 mg/g	N/A
CBGA *		ND	ND	0.025 mg/g	0.1 mg/g	N/A
CBN		0.645 %	6.45 mg/g	0.025 mg/g	0.1 mg/g	N/A
Δ^8-THC *		ND	ND	0.025 mg/g	0.1 mg/g	N/A
Δ^9-THC		42.423 %	424.23 mg/g	0.025 mg/g	0.1 mg/g	N/A
THCA		ND	ND	0.025 mg/g	0.1 mg/g	N/A
THCV *		ND	ND	0.025 mg/g	0.1 mg/g	N/A
THCVA *		ND	ND	0.025 mg/g	0.1 mg/g	N/A
TOTAL THC *(TOTAL THC = (THCA X 0.877) + THC)*		42.423 %	424.23 mg/g			N/A
TOTAL CBD *(TOTAL CBD = (CBDA X 0.877) + CBD)*		3.110 %	31.1 mg/g			N/A
CBD PER PACKAGE *PACKAGE: 500 MILLIGRAMS*		15.55 Milligrams				N/A

ANALYTE	LABELED AMOUNT	DETECTED	DETECTED	LOD	LOQ	PASS/FAIL
Δ^9-THC PER PACKAGE *PACKAGE: 500 MILLIGRAMS*		212.12 Milligrams				PASS
TOTAL THC PER PACKAGE *PACKAGE: 500 MILLIGRAMS*		212.12 Milligrams				PASS

*** BEYOND SCOPE OF ACCREDITATION**

BCL-06: MICROBIOLOGICAL ANALYSIS BY QPCR

MAR 11, 2019

ANALYTE	ACTION LIMIT	DETECTED	PASS/FAIL
ASPERGILLUS FLAVUS	Any amount in 1 gram	ND	PASS
ASPERGILLUS FUMIGATUS	Any amount in 1 gram	ND	PASS
ASPERGILLUS NIGER	Any amount in 1 gram	ND	PASS
ASPERGILLUS TERREUS	Any amount in 1 gram	ND	PASS
ESCHERICHIA COLI	Any amount in 1 gram	ND	PASS
SALMONELLA SPP.	Any amount in 1 gram	ND	PASS

BCL-11: MYCOTOXIN TESTING BY LC-MS/MS

MAR 10, 2019

ANALYTE	ACTION LIMIT	DETECTED	PASS/FAIL
AFLATOXINS	20 µg/kg	ND	PASS
OCHRATOXIN A	20 µg/kg	ND	PASS

BCL-13: PESTICIDE TESTING BY GC/MS

MAR 10, 2019

ANALYTE	ACTION LIMIT	DETECTED	LOD	LOQ	PASS/FAIL
CAPTAN	0.7 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
CHLORDANE	Any amount	ND	0.03 µg/g	0.05 µg/g	PASS
CHLORFENAPYR	Any amount	ND	0.03 µg/g	0.05 µg/g	PASS
CHLORPYRIFOS	Any amount	ND	0.03 µg/g	0.05 µg/g	PASS
CYFLUTHRIN	2 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
CYPERMETHRIN	1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
DICHLORVOS	Any amount	ND	0.03 µg/g	0.05 µg/g	PASS
METHYL PARATHION	Any amount	ND	0.03 µg/g	0.05 µg/g	PASS
PENTACHLORONI-TROBENZENE	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS

BCL-05: RESIDUAL PESTICIDE ANALYSIS BY LC-MS/MS ESI

MAR 10, 2019

ANALYTE	ACTION LIMIT	DETECTED	LOD	LOQ	PASS/FAIL
ABAMECTIN	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
ACEPHATE	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
ACEQUINOCYL	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
ACETAMIPRID	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
ALDICARB	Any amount	ND	0.03 µg/g	0.05 µg/g	PASS
AZOXYSTROBIN	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
BIFENAZATE	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
BIFENTHRIN	3 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
IMIDACLOPRID	5 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
KRESOXIM-METHYL	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
MALATHION	0.5 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
METALAXYL	2 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
METHIOCARB	Any amount	ND	0.03 µg/g	0.05 µg/g	PASS
METHOMYL	1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
MEVINPHOS	Any amount	ND	0.03 µg/g	0.05 µg/g	PASS
MYCLOBUTANIL	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS

REGULATORY COMPLIANCE TESTING

ANALYTE	ACTION LIMIT	DETECTED	LOD	LOQ	PASS/FAIL
BOSCALID	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
CARBARYL	0.5 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
CARBOFURAN	Any amount	ND	0.03 µg/g	0.05 µg/g	PASS
CHLORANTRANIL-IPROLE	10 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
CLOFENTEZINE	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
COUMAPHOS	Any amount	ND	0.03 µg/g	0.05 µg/g	PASS
DAMINOZIDE	Any amount	ND	0.03 µg/g	0.05 µg/g	PASS
DIAZINON	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
DIMETHOATE	Any amount	ND	0.03 µg/g	0.05 µg/g	PASS
DIMETHOMORPH	2 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
ETHOPROPHOS	Any amount	ND	0.03 µg/g	0.05 µg/g	PASS
ETOFENPROX	Any amount	ND	0.03 µg/g	0.05 µg/g	PASS
ETOXAZOLE	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
FENHEXAMID	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
FENOXYCARB	Any amount	ND	0.03 µg/g	0.05 µg/g	PASS
FENPYROXIMATE	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
FIPRONIL	Any amount	ND	0.03 µg/g	0.05 µg/g	PASS
FLONICAMID	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
FLUDIOXONIL	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS

ANALYTE	ACTION LIMIT	DETECTED	LOD	LOQ	PASS/FAIL
NALED	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
OXAMYL	0.5 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
PACLOBUTRAZOL	Any amount	ND	0.03 µg/g	0.05 µg/g	PASS
PERMETHRIN	0.5 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
PHOSMET	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
PIPERONYLBUTO-XIDE	3 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
PRALLETHRIN	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
PROPICONAZOLE	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
PROPOXUR	Any amount	ND	0.03 µg/g	0.05 µg/g	PASS
PYRETHRINS	0.5 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
PYRIDABEN	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
SPINETORAM	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
SPINOSAD	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
SPIROMESIFEN	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
SPIROTETRAMAT	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
SPIROXAMINE	Any amount	ND	0.03 µg/g	0.05 µg/g	PASS
TEBUCONAZOLE	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
THIACLOPRID	Any amount	ND	0.03 µg/g	0.05 µg/g	PASS
THIAMETHOXAM	5 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS

ANALYTE	ACTION LIMIT	DETECTED	LOD	LOQ	PASS/FAIL
HEXYTHIAZOX	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS
IMAZALIL	Any amount	ND	0.03 µg/g	0.05 µg/g	PASS

ANALYTE	ACTION LIMIT	DETECTED	LOD	LOQ	PASS/FAIL
TRIFLOXYSTROBIN	0.1 µg/g	ND	0.03 µg/g	0.05 µg/g	PASS

BCL-10: HEAVY METAL TESTING BY ICP-MS

MAR 10, 2019

ANALYTE	ACTION LIMIT	DETECTED	LOD	LOQ	PASS/FAIL
ARSENIC	0.2 µg/g	0.01 µg/g	0.353 µg/kg	1.069 µg/kg	PASS
CADMIUM	0.2 µg/g	ND	0.357 µg/kg	1.082 µg/kg	PASS
LEAD	0.5 µg/g	0.27 µg/g	0.638 µg/kg	1.933 µg/kg	PASS
MERCURY	0.1 µg/g	ND	0.412 µg/kg	1.251 µg/kg	PASS

BCL-07: FOREIGN MATERIAL TESTING

MAR 06, 2019

ANALYTE	ACTION LIMIT	DETECTED	PASS/FAIL
CINDERS	25 %	ND	PASS
DIRT	25 %	ND	PASS
IMBEDDED FOREIGN MATERIAL	25 %	ND	PASS
INSECT FRAGMENTS	1 Unit	ND	PASS
MAMMAL EXCREMENT	1 Unit	ND	PASS

REGULATORY COMPLIANCE TESTING

ANALYTE	ACTION LIMIT	DETECTED	PASS/FAIL
MOLD	25 %	ND	PASS
RODENT HAIR	1 Unit	ND	PASS
SAND	25 %	ND	PASS
SOIL	25 %	ND	PASS

BCL-04: RESIDUAL SOLVENT ANALYSIS BY HS/GC-FID

MAR 12, 2019

ANALYTE	ACTION LIMIT	DETECTED	LOD	LOQ	PASS/FAIL
1,2-DICHLOROETHANE	1 µg/g	ND	0.6 µg/g	1 µg/g	PASS
ACETONE	5000 µg/g	27 µg/g	6 µg/g	15 µg/g	PASS
ACETONITRILE	410 µg/g	ND	3.6 µg/g	6 µg/g	PASS
BENZENE	1 µg/g	ND	0.6 µg/g	1 µg/g	PASS
BUTANE	5000 µg/g	ND	6 µg/g	10 µg/g	PASS
CHLOROFORM	1 µg/g	ND	0.6 µg/g	1 µg/g	PASS
ETHANOL	5000 µg/g	37 µg/g	6 µg/g	15 µg/g	PASS
ETHYL ACETATE	5000 µg/g	ND	6 µg/g	10 µg/g	PASS
ETHYL ETHER	5000 µg/g	ND	6 µg/g	10 µg/g	PASS
ETHYLENE OXIDE	1 µg/g	ND	0.6 µg/g	1 µg/g	PASS
HEPTANE	5000 µg/g	ND	6 µg/g	10 µg/g	PASS

REGULATORY COMPLIANCE TESTING

ANALYTE	ACTION LIMIT	DETECTED	LOD	LOQ	PASS/FAIL
HEXANE	290 µg/g	ND	6 µg/g	10 µg/g	PASS
ISOPROPYL ALCOHOL	5000 µg/g	65 µg/g	6 µg/g	15 µg/g	PASS
METHANOL	3000 µg/g	ND	6 µg/g	15 µg/g	PASS
METHYLENE CHLORIDE	1 µg/g	ND	0.6 µg/g	1 µg/g	PASS
PENTANE	5000 µg/g	ND	6 µg/g	10 µg/g	PASS
PROPANE	5000 µg/g	ND	6 µg/g	10 µg/g	PASS
TOLUENE	890 µg/g	ND	6 µg/g	10 µg/g	PASS
TOTAL XYLENES	2170 µg/g	ND	6 µg/g	10 µg/g	PASS
TRICHLOROETHYLENE	1 µg/g	ND	0.6 µg/g	1 µg/g	PASS